

HUSKY^{TM®}

REFRIGERATION



2019 NEW ZEALAND RANGE

WWW.HUSKYBRAND.CO.NZ

Welcome to Husky

Husky have a proud history and our journey to become a global leader in refrigeration and drinks storage continues to this day.

In over 50 years, Husky has evolved from servicing refrigeration units in north-west England to becoming a leader in the manufacture and development of world class refrigeration and drink storage solutions. Still to this day, Husky is a family run business with strong loyalty and principles. We are proud to export our products all over the world including Europe, North America, South-East Asia and Oceania. We strive to make products which are not only stylish and reliable but are designed with energy efficiency in mind, in order to have as little impact on the environment as possible and save energy costs. Buy with confidence from a trusted brand knowing that the design and manufacture of every Husky fridge is managed by a team of qualified professionals.

Husky now offers a complete range of refrigeration units including our indoor and outdoor bar fridges, the Vino Pro wine fridge and drinks chiller range and the all new range of fridges and freezers for commercial applications.

Bar & Wine Fridge Range..... 4-5

Undercounter Back Bar Fridge..... 6-7
43°C Tropical Spec Undercounter Back Bar Fridge.....8
Double Drawer Undercounter Bar Fridge..... 9
Glass Door Undercounter Bar Fridge..... 10
Retro Style Undercounter Bar Fridge 11
Solid Door Countertop Coca-Cola Fridge 12
Solid Door Undercounter Coca-Cola Fridge 13
Glass Door Countertop Coca-Cola Fridge 14
Glass Door Undercounter Coca-Cola Fridge 15

The Keys to Preserving Your Wine..... 16-17

Vino Pro Undercounter Drinks Chiller 18
Vino Pro Undercounter Wine Fridge..... 19
Vino Pro Undercounter Wine Fridge & Drinks Chiller....20
Vino Pro Freestanding Wine Fridge.....21

Commercial Refrigeration Range 22-23

Vertical Glass Door Display Fridges.....24-25
Vertical Glass Door Display Freezers26-27
Solid Door Vertical Fridges & Freezers28
Stainless Steel Preparation Counter Fridges.....29
Solid Door Undercounter Fridges & Freezers30
Custom Branded Bar Fridges.....31

HUSKY[®]

Bar & Wine Fridge Range

Since its introduction to the New Zealand market, the Husky bar fridge and Vino Pro wine fridge ranges have become synonymous with premium quality drinks storage solutions.

The Back Bar ranges feature heavy duty functionality and styling in a range of sizes, finishes and specifications. This makes them ideal for installation in outdoor alfresco areas of New Zealand homes as well as in restaurants, cafés, bars and pubs. The Glass Door and Retro Style Bar Fridges offer contrasting styles, both designed for indoor usage with high levels of energy efficiency helping to reduce emissions and energy costs. The all new Coca-Cola range of solid and glass door fridges offer the same level of Husky quality in classic, retro Coca-Cola styling, making them the ideal gift for all around the home. The Vino Pro range of wine fridges and drinks chillers preserve the true flavour of your wine collection while keeping them protected under lock and key.



Undercounter Back Bar Fridge



You'll find Husky Back Bar Fridges working hard in bars and backyards all over the world.
The undercounter back bar range provides a timeless, stylish look to your undercover outdoor alfresco area.

- 12 Month Warranty
- Designed for sheltered outdoor usage
- Available in black or silver finish
- Electronic temperature controller
- Digital temperature display
- Internal LED light with on/off switch
- Fully adjustable shelving
- Integral locks fitted as standard
- Adjustable feet to allow for level positioning
- Self closing double glazed glass door(s)
- Push/Pull single hinged door



Specifications

HUS-C1-840 (Silver)
SINGLE DOOR BAR FRIDGE

Gross Total Capacity (Litres)	118
Net Total Capacity (Litres)	90
PERFORMANCE	
Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	2.52 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	2 adjustable
Feet	2 (front)
Doors	1
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x555x520
Min. Cut Out HxWxD (mm)	865-885x595x550
Net Weight (kgs)	45

HUS-C2-840 (Silver)
DOUBLE DOOR BAR FRIDGE

Gross Total Capacity (Litres)	190
Net Total Capacity (Litres)	173
PERFORMANCE	
Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	2.52 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	4 adjustable
Feet	2 (front)
Doors	2
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x865x520
Min. Cut Out HxWxD (mm)	865-885x905x550
Net Weight (kgs)	60

HUS-C3-840 (Silver)
TRIPLE DOOR BAR FRIDGE

Gross Total Capacity (Litres)	307
Net Total Capacity (Litres)	280
PERFORMANCE	
Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	3.05 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	6 adjustable
Feet	2 (front)
Doors	3
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x1350x520
Min. Cut Out HxWxD (mm)	865-885x1390x550
Net Weight (kgs)	85

43°C Tropical Spec Undercounter Back Bar Fridge

The Husky Alfresco Bar Fridge range is built to the highest quality, specifically for the harsh New Zealand summer up to 43°C.

The ALF range includes all of the functionality of the standard back bar range, with the addition of a range of superior features (see right):

- 43°C Tropical Spec for the Aussie summer
- For sheltered outdoor use (IPX4 rated)
- Pressure injected foam insulation
- Self closing double-glazed door(s) with heated glass and frame to prevent condensation build-up
- Complete stainless steel exterior for added durability



ALF-C1-840

ALF-C2-840

Specifications

ALF-C1-840
SINGLE DOOR TROP SPEC BAR FRIDGE

Gross Total Capacity (Litres)	118
Net Total Capacity (Litres)	90

PERFORMANCE

Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 43
Energy Consumption	3.00 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	2 adjustable
Feet	2 (front)
Doors	1
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x556x520
Min. Cut Out HxWxD (mm)	865-885x596x550
Net Weight (kgs)	45

ALF-C2-840
DOUBLE DOOR TROP SPEC BAR FRIDGE

Gross Total Capacity (Litres)	190
Net Total Capacity (Litres)	173

PERFORMANCE

Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 43
Energy Consumption	4.45 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	4 adjustable
Feet	2 (front)
Doors	2
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x865x520
Min. Cut Out HxWxD (mm)	865-885x905x550
Net Weight (kgs)	65

ALF-C3-840
TRIPLE DOOR TROP SPEC BAR FRIDGE

Gross Total Capacity (Litres)	307
Net Total Capacity (Litres)	280

PERFORMANCE

Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 43
Energy Consumption	7.33 kWh/24h

FEATURES

Temperature Control	Electronic
Shelves	6 adjustable
Feet	2 (front)
Doors	3
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845-860x1350x520
Min. Cut Out HxWxD (mm)	865-885x1390x550
Net Weight (kgs)	83

www.huskybrand.co.nz

Note: All Husky fridges require a 50mm clearance at the rear of the unit and 20mm clearance around the top and left/right sides when built-in/under cabinetry. These clearances are to allow sufficient ventilation and cooling to the motor. Please check installation guide for more details.

Double Drawer Undercounter Bar Fridge

- 12 Month Warranty
- Meets food storage requirements
- Digital temperature controller and display
- Internal LED light with on/off switch
- Drawer section dividers included
- Stainless steel exterior

- Adjustable feet to allow for level positioning
- Pressure injected foam insulation
- Smooth edge, easy grasp handle
- Heated drawer frames to prevent condensation build-up
- Lockable unit to protect stock.
- Automatic defrost with self-evaporating drip tray



The following are included as standard:

- 4 x 1/2 gastronorm pans
- 4 x 1/3 gastronorm pans
- 3 x 1/9 gastronorm pans
- 2 large bottle dividers
- 3 small bottle dividers



Specifications

C2-DWR-840-AU-HU

Gross Total Capacity (Litres)	190
Net Total Capacity (Litres)	108

PERFORMANCE

Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	2.02 kWh/24h

FEATURES

Temperature Control	Electronic
Feet	Adjustable
Doors	2
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	840x865x495
Min. Cut Out HxWxD (mm)	860-880x905x545
Net Weight (kgs)	63

www.huskybrand.co.nz

Note: All Husky fridges require a 50mm clearance at the rear of the unit and 20mm clearance around the top and left/right sides when built-in/under cabinetry. These clearances are to allow sufficient ventilation and cooling to the motor. Please check installation guide for more details.

Glass Door Undercounter Bar Fridge


- 

Keep your drinks nicely chilled and easily accessible with the stylish Husky Glass Door Undercounter Bar Fridge.

It's incredibly functional in a sleek, modern look making it a great drinks storage solution for your indoor entertaining area.
- 12 Month Warranty
 - Chrome wire racks
 - Mechanical temperature control
 - Internal LED light with on/off switch
 - Double glazed glass door for superior insulation
 - Self closing door
 - Note: Right hand hinge only



Retro Style Undercounter Bar Fridge

- 

Available in three different colours, the Husky Retro Bar Fridge Range combines classic 50's retro styling with A+ energy efficiency.

It is a practical and stylish choice for any home featuring adjustable shelves, chrome wine rack, vegetable crisper, a reversible door hinge and in-door storage.
- 12 Month Warranty
 - A+ energy rating
 - R600a refrigerant
 - Meets food storage requirements
 - Internal LED light with on/off switch
 - Two and a half tempered glass shelves
 - Shelf hanging wine rack and salad crisper drawer
 - Available in red, black or white.



Specifications

HUSCNSIL		DIMENSIONS	
Gross Total Capacity (Litres)	130	Net External HxWxD (mm)	845x555x570
Net Total Capacity (Litres)	110	Min. Cut Out HxWxD (mm)	865x595x620
PERFORMANCE		Net Weight (kgs)	44
Temperature Range (°C)	2 to 10		
Ambient Temp. Level (°C)	16 to 32		
Energy Consumption	0.84 kWh/24h		
FEATURES			
Temperature Control	Mechanical		
Shelves	4 coated metal wire		
Feet	2 (front)		
Refrigerant	R600a		

Specifications

HUS-RETRO110BLK (Piano Black) HUS-RETRO110RED (Radiant Red) HUS-RETRO110WHT (Ivory White)		DIMENSIONS	
Gross Total Capacity (Litres)	123	Net External HxWxD (mm)	835-850x550x540
Net Total Capacity (Litres)	110	Min. Cut Out HxWxD (mm)	855x590x590
PERFORMANCE		Net Weight (kgs)	31
Temperature Range (°C)	0 to 10		
Ambient Temp. Level (°C)	18 to 43		
Energy Consumption	0.52 kWh/24h		
FEATURES			
Temperature Control	Mechanical		
Shelves	2.5 tempered glass		
Feet	2 (front)		
Refrigerant	R600a		

Solid Door Countertop Coca-Cola Fridge



Coca-Cola - The Real Thing!

Store and serve your ice cold beverages in style this summer with the exclusive Husky range of Officially Licensed Coca-Cola branded solid and glass door refrigerators.

- 12 Month Warranty
- Officially Licensed Coca-Cola 'The Real Thing!' styling
- Meets food storage requirements
- A+ energy efficiency
- Convenient, compact size
- R600a refrigerant
- Metal coated wire shelf
- Adjustable thermostat
- Automatic defrost
- Integrated door handle
- In-door storage
- Designed for indoor usage
- Reversible door hinge



Solid Door Undercounter Coca-Cola Fridge



- 12 Month Warranty
- Officially Licensed Coca-Cola styling
- Meets food storage requirements
- A+ energy efficiency
- Convenient, compact size
- R600a refrigerant
- Metal coated wire shelf

- Adjustable thermostat
- Automatic defrost
- Integrated door handle
- Designed for indoor usage
- Reversible door hinge



Specifications

CKK50-207-AU-HU

Gross Total Capacity (Litres)	46.2
PERFORMANCE	
Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	0.26 kWh/24h
375mL Can Capacity	38

FEATURES

Temperature Control	Mechanical
Shelves	1 coated metal wire
Feet	2 (front)
Door Hinge Location	Right (reversible)
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	509x430x470
Depth with Open Door (mm)	870
Net Weight (kgs)	15.2

Specifications

CKK110-167-AU-HU

Gross Total Capacity (Litres)	118
PERFORMANCE	
Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38
Energy Consumption	0.24 kWh/24h
375mL Can Capacity	125

FEATURES

Temperature Control	Mechanical
Shelves	3 coated metal wire
Feet	2 (front)
Door Hinge Location	Right (reversible)
Refrigerant	R600a

DIMENSIONS

Net External HxWxD (mm)	845x540x544
Min. Cut Out HxWxD (mm)	865x580x>584
Depth with Open Door (mm)	1058
Net Weight (kgs)	29

Glass Door Countertop Coca-Cola Bar Fridge



- 12 Month Warranty
- Officially Licensed classic Coca-Cola styling
- Double Glazed Low E glass door for added insulation and superior energy efficiency
- A+ energy efficiency
- Convenient, compact size
- R600a refrigerant
- Metal coated wire shelf
- Adjustable thermostat
- Automatic defrost
- Integrated door handle
- Designed for indoor usage
- Reversible door hinge



Specifications

CKK50-130-AU-HU

Gross Total Capacity (Litres) 46.2

PERFORMANCE

Temperature Range (°C) 4 to 10

Ambient Temp. Level (°C) 16 to 38

Energy Consumption 0.26k Wh/24h

375mL Can Capacity 38

FEATURES

Temperature Control Mechanical

Shelves 1 coated metal wire

Feet 2 (front)

Door Hinge Location Right (reversible)

Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 509x430x470

Depth with Open Door (mm) 870

Net Weight (kgs) 17.3

Glass Door Undercounter Coca-Cola Bar Fridge



- 12 Month Warranty
- Officially Licensed classic Coca-Cola styling
- Double Glazed Low E glass door for added insulation and superior energy efficiency
- A+ energy efficiency
- Convenient, compact size
- R600a refrigerant
- Metal coated wire shelf
- Adjustable thermostat
- Automatic defrost
- Integrated door handle
- Designed for indoor usage
- Reversible door hinge



Specifications

CKK110-168-AU-HU

Gross Total Capacity (Litres) 118

PERFORMANCE

Temperature Range (°C) 4 to 10

Ambient Temp. Level (°C) 16 to 38

Energy Consumption 0.24 kWh/24h

375mL Can Capacity 125

FEATURES

Temperature Control Mechanical

Shelves 3 coated metal wire

Feet 2 (front)

Door Hinge Location Right (reversible)

Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 845x540x544

Min. Cut Out HxWxD (mm) 865x580x>584

Depth with Open Door (mm) 1058

Net Weight (kgs) 31



The Keys to Preserving Your Wine

The natural ageing process of all kinds of red and white wines vary depending on the environment in which they are stored.

In order to preserve the true flavour of your wine, both red and white wines should be stored between 12-14°C. There should be no vibration in the racks, no excessive UV light and a controlled humidity level. All these things are hard to control in the open air. This is where the HuskyVino Pro Wine Cabinet range excels, allowing you to control all these aspects as well as chill your wine to the ideal serving temperature.



TEMPERATURE

Although varying temperatures are used for serving, all wines should be stored between 12°C - 14°C without fluctuations. Storing your wine outside of these temperatures can spoil the natural taste.



HUMIDITY

Storing wine at lower than 50% humidity can lead to the cork drying out and shrinking. This can lead to air entering inside of the wine bottle leading to oxidation and odours.



LIGHTING

High amounts of damaging UV rays can effect the natural colour and tannins within your wine. This can lead to damaging hydrogen sulphide compounds developing within the wine.



VIBRATIONS

Slight vibrations can accelerate the natural ageing process of wines and lead to a deterioration in flavour and an overall lack of quality.



AIRFLOW

A lack of airflow within a wine fridge can lead to poor ventilation, stale air and sometimes mould. Active carbon filters help to eliminate odours that can develop within the wine cabinet.

Vino Pro Undercounter Drinks Chiller

Keep your drinks chilled in the matching style and premium quality of the Husky Vino Pro range with this Undercounter Drinks Chiller & Bar Fridge.
It's incredibly functional in a sleek, modern look to compliment any indoor entertaining area.

- Three Year Warranty
- Distinctive Vino Pro styling
- Three stainless steel shelves with spill proof frontage
- Triple glazed glass door for superior insulation
- Self closing door
- UV free LED light
- Locks as standard
- Digital temperature control
- Adjustable feet to allow for level positioning



Specifications

HUS-DC54-ZY (Stainless Steel Trim) HUS-DC54-BK-ZY (Black Trim)	
Undercounter Drinks Chiller	
Net Total Capacity (Litres)	154
PERFORMANCE	
Temperature Range (°C)	1 to 10
Energy Consumption	0.821 kWh/24h
FEATURES	
Temperature Control	Electronic
Shelves	3 (stainless steel)
Refrigerant	R600a
DIMENSIONS	
Net External HxWxD (mm)	870-880x595x632
Min. Cut Out HxWxD (mm)	890-900x635x642
Net Weight (kgs)	62

Vino Pro Undercounter Wine Fridge

For high quality wine to perfectly age and develop, it must be stored at an ideal and steady temperature whilst free from damaging UV rays, odours, vibrations and low humidity.
Protect and preserve the flavour of your wine collection with the undercounter Vino Pro wine fridges.

- Three Year Warranty
- R600a refrigerant
- Stainless steel or black door
- Digital temperature control
- LED internal illumination
- Locks as standard
- UV coated glass door
- Active carbon filter
- Single or dual zone cooling
- Telescopic beech wood shelves
- Adjustable feet to allow for level positioning
- **OPTIONS** (additional cost)
 - Single or dual zone cooling



Specifications

HUS-WC54S-ZY (Stainless Steel Trim) HUS-WC54S-BK-ZY (Black Trim)	
Single Zone Undercounter Wine Fridge	
Net Total Capacity (Litres)	154 / 46 bordeaux bottles
PERFORMANCE	
Temperature Range (°C)	5 to 18
Energy Consumption	0.821 kWh/24h
FEATURES	
Temperature Control	Electronic
Shelves	6 telescopic
Refrigerant	R600a
DIMENSIONS	
Net External HxWxD (mm)	870-880x595x592
Min. Cut Out HxWxD (mm)	890-900x635xx642
Net Weight (kgs)	62

Undercounter Wine Fridge also available in: HUS-WC54D-ZY (Stainless Steel Trim) HUS-WC54D-BK-ZY (Black Trim)	
Dual Zone Undercounter Wine Fridge	
Features are the same as the Single Zone Undercounter Range, with the exception of:	
Net Total Capacity (Litres)	154 44 bordeaux bottles
Temperature Range (°C)	5 to 12 Upper Zone 12 to 18 Lower Zone
Temperature Zones	2
Energy Consumption	0.937 kWh/24h

Vino Pro Undercounter Wine Fridge & Drinks Chiller

The Husky Vino Pro Double Door Wine Fridge & Drink Chiller offers the versatility of separate refrigeration compartments within the one unit.

Ideal for all kinds of beverages, offering a drinks storage and refrigeration solution for different types of beverages and storing and serving different kinds of wine.

- Three Year Warranty
- R600a refrigerant
- Stainless steel or black door
- Digital temperature control
- LED internal illumination
- Locks as standard
- Adjustable feet
- UV coated glass door
- Active carbon filter
- Beech wood shelves (wine fridge)
- Two glass shelves, one wire shelf and one wire basket (chiller)



Specifications

HUS-WC66B-ZY (Stainless Steel Trim)
HUS-WC66B-BK-ZY (Black Trim)
Double Door Chiller & Wine Fridge

Wine Fridge Net Capacity 31 bordeaux bottles
Chiller Net Capacity (Litres) 84L

PERFORMANCE
Temperature Range (°C) 5 to 18 Left Zone
4 to 10 Right Zone
Energy Consumption 0.923 kWh/24h

FEATURES
Temperature Control Electronic
Shelves (Wine Fridge) 7
Shelves (Wine Fridge) 3 Shelves & 1 Basket
Refrigerant R600a

DIMENSIONS
Net External HxWxD (mm) 865-875x750x632
Min. Cut Out HxWxD (mm) 885-895x790x642
Net Weight (kgs) 62

Vino Pro Freestanding Wine Fridge

Featuring a large capacity of up to 168 bordeaux wine bottles, the Vino Pro Freestanding Wine Fridge is capable of holding grand wine collections, preserved under lock and key.

Protect and preserve the flavour of your wine collection with the freestanding Vino Pro wine fridges.

- Three Year Warranty
- R600a refrigerant
- Stainless steel or black door
- Digital temperature control
- LED internal illumination
- Adjustable feet to allow for level positioning
- Locks as standard
- UV coated glass door
- Active carbon filter
- Single or dual zone cooling
- Telescopic beech wood shelves
- **OPTIONS** (additional cost)
 - Single or dual zone cooling



Specifications

HUS-WCI68S-ZY (Stainless Steel Trim)
HUS-WCI68S-BK-ZY (Black Trim)
Freestanding Single Zone Wine Fridge

Net Total Capacity (Litres) 450
168 bordeaux bottles

PERFORMANCE
Temperature Range (°C) 5 to 18
Energy Consumption 1.101 kWh/24h

FEATURES
Temperature Control Electronic
Shelves 15 telescopic
Refrigerant R600a

DIMENSIONS
Net External HxWxD (mm) 1805-1815x595x712
Min. Cut Out HxWxD (mm) 1825-1835x635x722
Net Weight (kgs) 90

A close-up photograph of a chef's hands garnishing a dish. The chef is wearing a white uniform. The dish is on a white plate and appears to be a pizza or flatbread topped with melted cheese and tomato sauce. The chef is adding fresh green herbs to the top. In the background, there are various kitchen items including a red box, a white container, and several yellow and red squeeze bottles. The overall scene is a professional kitchen environment.

HUSKY[®]


Commercial Refrigeration Range

Featuring top of the range quality and functionality, the all new Husky range of commercial refrigeration units offer durable and dependable food and drink solutions for businesses and commercial environments of any size.

The commercial range offers solutions for a range of different applications including the display fridge and freezers which are ideal for retail settings where product is clearly visible to customers due to the large glass doors. Other products such as the solid door upright fridge and freezer, the prep counter fridge and the solid door undercounter fridge and freezer are ideal for commercial kitchens, bars and cafes alike. These solutions come in a range of sizes and finishes to make them suitable for any commercial environment. Husky's superior reputation for excellence in efficiency and quality will ensure a cost-effective and dependable refrigeration solution for any commercial setting.


Reliable and good looking, the Husky Commercial Range will get your refrigeration job done with a minimum of fuss. Regardless of the business you run, trust Husky to deliver.

Vertical Glass Door Display Fridges


**Introducing the Husky PRO Display Fridge range for commercial usage.**

It offers advanced levels of insulation and environmentally-friendly R290 refrigerant combined with sweeping good looks. This makes them perfect for retail settings where space is at a premium.

- 12 Month Warranty
- Meets food storage requirements
- Full-length LED illumination for clear visibility of contents
- Compressor compartment slides out easily from the front for fast, easy maintenance when required.





- Fully adjustable shelving system
- Dairy specification
- Digital temperature controller
- Lockable doors for added security
- Available in black or white trim

**OPTIONS** (available at additional cost)

- Available with or without lightbox



Separate lightbox can be easily fitted or removed



All models are available in white or black.

Specifications


C5PRO-H-WH-AUHU (White)		C8PRO-H-WH-AUHU (White)		C10PRO-H-WH-AUHU (White)	
C5PRO-H-BK-AUHU (Black)		C8PRO-H-BK-AUHU (Black)		C10PRO-H-BK-AUHU (Black)	
Gross Total Capacity (Ltrs) 486		Gross Total Capacity (Ltrs) 795		Gross Total Capacity (Ltrs) 975	
Net Total Capacity (Ltrs) 410		Net Total Capacity (Ltrs) 728		Net Total Capacity (Ltrs) 885	
PERFORMANCE		PERFORMANCE		PERFORMANCE	
Temperature Range (°C)	0 to 10	Temperature Range (°C)	0 to 10	Temperature Range (°C)	0 to 10
Ambient Temp. Level (°C)	16 to 38	Ambient Temp. Level (°C)	16 to 38	Ambient Temp. Level (°C)	16 to 38
Energy Consumption	4.44 kWh/24h	Energy Consumption	5.16 kWh/24h	Energy Consumption	8.37 kWh/24h
FEATURES		FEATURES		FEATURES	
Temperature Control	Electronic	Temperature Control	Electronic	Temperature Control	Electronic
Refrigerant	R290	Refrigerant	R290	Refrigerant	R290
DIMENSIONS		DIMENSIONS		DIMENSIONS	
Net External HxWxD (mm) no lightbox	1985x650x719	Net External HxWxD (mm) no lightbox	1985x1000x719	Net External HxWxD (mm) no lightbox	1985x1200x719
Net External HxWxD (mm) with lightbox	2227x650x719	Net External HxWxD (mm) with lightbox	2227x1000x719	Net External HxWxD (mm) with lightbox	2227x1200x719
Net Weight (kgs) no lightbox	120	Net Weight (kgs) no lightbox	132	Net Weight (kgs) no lightbox	165
Net Weight (kgs) with lightbox	123	Net Weight (kgs) with lightbox	135	Net Weight (kgs) with lightbox	172

Vertical Glass Door Display Freezers

i Introducing the Husky PRO Display Freezer range for commercial usage.

Designed to complement the sweeping good looks of our top-selling upright chiller range, the new Husky PRO freezers make a perfect match featuring consistent styling and the same quality features.

- 12 Month Warranty
- Meets food storage requirements
- Lockable doors for added security
- Digital temperature controller
- Compressor compartment slides out easily from the front for fast, easy maintenance when required.

- Fully adjustable shelving system
- Hot gas defrost & frost free
- Full-length LED illumination for clear visibility of contents
- Triple glazed & heated self-closing door
-  **OPTIONS** (available at additional cost)
 - Available with or without lightbox




F10PRO-H-WH-AUHU



F5PRO-H-WH-AUHU



Separate lightbox can be easily fitted or removed




Adjustable shelves



LED lighting



Stylish design



Fan assisted fin block evaporator



Flat base for increased storage capacity



Easy-clean condenser



Compressor compartment slides out easily from the front for fast, easy maintenance

Specifications

F5PRO-H-WH-AUHU

Gross Total Capacity (Ltrs)	396
Net Total Capacity (Ltrs)	364
PERFORMANCE	
Temperature Range (°C)	-10 to -25
Ambient Temp. Level (°C)	16 to 32
Energy Consumption	13.55 kWh/24h

FEATURES

Temperature Control	Electronic
Refrigerant	R290

DIMENSIONS

Net External HxWxD (mm) no lightbox	1985x650x719
Net External HxWxD (mm) with lightbox	2227x650x719
Net Weight (kgs) no lightbox	125
Net Weight (kgs) with lightbox	128

F10PRO-H-WH-AUHU

Gross Total Capacity (Ltrs)	842
Net Total Capacity (Ltrs)	771
PERFORMANCE	
Temperature Range (°C)	-10 to -25
Ambient Temp. Level (°C)	16 to 32
Energy Consumption	24.13 kWh/24h


FEATURES

Temperature Control	Electronic
Refrigerant	R290

DIMENSIONS

Net External HxWxD (mm) no lightbox	1985x1200x719
Net External HxWxD (mm) with lightbox	2227x1200x719
Net Weight (kgs) no lightbox	158
Net Weight (kgs) with lightbox	165

Solid Door Vertical Fridges & Freezers

- 

 - 12 Month Warranty
 - High ambient operating temperature up to 43°C
 - Digital temperature control
 - Lockable doors for added security
 - Food grade stainless steel exterior and interior
 - Automatic defrost
 - Strong hinges – capable of withstanding enormous force
- High quality interior and exterior
 - Self-closing doors with smooth edge, easy grasp handles
 - Refrigerators meet food storage requirements for temperature class M1 (+5°C/-1°C)
 - Freezers meet food storage requirements for temperature class L1 (≤ -18°C)
 - Gastronorm 2/1.



Specifications

CGN700-AU-AL SINGLE DOOR UPRIGHT FRIDGE Gross Total Capacity (Litres) 589 Net Total Capacity (Litres) 473	FGN700-AU-AL SINGLE DOOR UPRIGHT FREEZER Gross Total Capacity (Litres) 589 Net Total Capacity (Litres) 473	CGN1400-AU-AL DOUBLE DOOR UPRIGHT FRIDGE Gross Total Capacity (Litres) 1172 Net Total Capacity (Litres) 1004	FGN1400-AU-AL DOUBLE DOOR UPRIGHT FREEZER Gross Total Capacity (Litres) 1172 Net Total Capacity (Litres) 1004
PERFORMANCE Temperature Range (°C) 0 to 8 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 2.90 kWh/24h 1059 kWh/year	PERFORMANCE Temperature Range (°C) -18 to -22 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 8.6 kWh/24h 3139 kWh/year	PERFORMANCE Temperature Range (°C) 0 to 8 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 4.63 kWh/24h 1690 kWh/year	PERFORMANCE Temperature Range (°C) -18 to -22 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 9.60 kWh/24h 3504 kWh/year
FEATURES Temperature Control Electronic Shelves 3 Refrigerant R134a/GWP 1370	FEATURES Temperature Control Electronic Shelves 3 Refrigerant R404a/GWP3922	FEATURES Temperature Control Electronic Shelves 6 + base Refrigerant R134a/GWP 1370	FEATURES Temperature Control Electronic Shelves 6 + base Refrigerant R404a/GWP3922
DIMENSIONS Net External HxWxD (mm) 2000x740x830 Net Internal HxWxD (mm) 1401x604x680	DIMENSIONS Net External HxWxD (mm) 2000x740x830 Net Internal HxWxD (mm) 1401x604x680	DIMENSIONS Net External HxWxD (mm) 2000x1480x830 Net Internal HxWxD (mm) 1401x1344x680	DIMENSIONS Net External HxWxD (mm) 2000x1480x830 Net Internal HxWxD (mm) 1401x1344x680

Stainless Steel Preparation Counter Fridges

- 

 - 12 Month Warranty
 - High ambient operating temperature up to 43°C
 - Food grade stainless steel exterior and interior
 - Digital temperature control
 - Rounded edges with no gaps in finish
 - Easily removable interior components
 - Four soft castors, two lockable
- Strong hinges for long lifetime of normal use
 - Smooth edge, easy grasp handles
 - Meets food storage requirements for temperature class M1 (+5°C/-1°C)
 - Automatic defrost
 - Self closing doors



Specifications

CPUC2-AU-AL DOUBLE DOOR PREP COUNTER Gross Total Capacity (Litres) 313 Net Total Capacity (Litres) 205	CPUC3-AU-AL TRIPLE DOOR PREP COUNTER Gross Total Capacity (Litres) 464 Net Total Capacity (Litres) 358	CPUC4-AU-AL FOUR DOOR PREP COUNTER Gross Total Capacity (Litres) 616 Net Total Capacity (Litres) 476
PERFORMANCE Temperature Range (°C) 0 to 8 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 2.0 kWh/24h 730 kWh/year	PERFORMANCE Temperature Range (°C) 0 to 8 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 2.4 kWh/24h 876 kWh/year	PERFORMANCE Temperature Range (°C) 0 to 8 Ambient Temp. Level (°C) 18 to 43 Climate Class 4 Energy Consumption 2.8 kWh/24h 1022 kWh/year
FEATURES Temperature Control Electronic Shelves 2 Refrigerant R134a/GWP 1370	FEATURES Temperature Control Electronic Shelves 3 Refrigerant R134a/GWP 1370	FEATURES Temperature Control Electronic Shelves 4 Refrigerant R134a/GWP 1370
DIMENSIONS Net External HxWxD (mm) 860x1360x700 Net Internal HxWxD (mm) 560x795x580	DIMENSIONS Net External HxWxD (mm) 860x1795x700 Net Internal HxWxD (mm) 560x1230x580	DIMENSIONS Net External HxWxD (mm) 860x2230x700 Net Internal HxWxD (mm) 560x1665x580

Solid Door Undercounter Fridges & Freezers

- i

- 12 Month Warranty
 - Digital temperature controller and display
 - High ambient operating temperature of up to 38°C
 - Strong hinges for long lifetime of normal use
 - Stainless steel exterior with smooth, easy grasp handle
 - Adjustable feet to allow for level positioning
 - Three removable & adjustable shelves (refrigerator only)
- Three fixed shelves (freezer only)
 - Fully reversible door
 - Lockable unit to protect contents.
 - CSSIH Refrigerator meets food storage requirements for temperature class M1 (+5°C/-1°C)
 - FSS2H Freezer meet food storage requirements for temperature class L1 (≤ -18°C)



Specifications

CSSIH-SD-HT
SOLID DOOR UNDERCOUNTER FRIDGE

Gross Total Capacity (Litres) 129
Net Total Capacity (Litres) 78

PERFORMANCE

Temperature Range (°C) 0 to 8
Ambient Temp. Level (°C) 18 to 38
Energy Consumption 1.16kWh/24h

FEATURES

Temperature Control Electronic
Shelves 3 adjustable
Refrigerant R134a / GWP 1370¹

DIMENSIONS

Net External HxWxD (mm) 855x600x585
Min. Cut Out HxWxD (mm) 875x640x>625
Net Internal HxWxD (mm) 620x510x485
Net Weight (kgs) 44

FSS2H-SD-HT
SOLID DOOR UNDERCOUNTER FREEZER

Gross Total Capacity (Litres) 115
Net Total Capacity (Litres) 78

PERFORMANCE

Temperature Range (°C) -10 to -22
Ambient Temp. Level (°C) 18 to 38
Energy Consumption 1.14kWh/24h

FEATURES

Temperature Control Electronic
Shelves 3 fixed
Refrigerant R134a / GWP 1370¹

DIMENSIONS

Net External HxWxD (mm) 855x600x585
Min. Cut Out HxWxD (mm) 875x640x>625
Net Internal HxWxD (mm) 620x510x485
Net Weight (kgs) 45

www.huskybrand.co.nz

Note: All Husky fridges require a 50mm clearance at the rear of the unit and 20mm clearance around the top and left/right sides when built-in/under cabinetry. These clearances are to allow sufficient ventilation and cooling to the motor. Please check installation guide for more details.

Custom Branded Bar Fridges

Husky is the UK's biggest-selling name in branded refrigerators and engineered entirely in our own factory.

We have an extensive range of options for different colours, finishes, fittings, locks, lights and packaging to customise your final design. Subject to minimum order quantities our design engineers are able to produce truly unique individual models that your customers and your brand are guaranteed to love.

Note: Minimum Order Quantities Apply. These may vary by model and the level of custom branding that is required. A minimum 8 week wait time applies for custom orders.

Please e-mail us at husky.sales@arisit.com for more information on our custom branded range of fridges.



CKK50-SD-HU
SOLID DOOR MINI BAR FRIDGE



CKK50-GD-HU
GLASS DOOR MINI BAR FRIDGE



CKK110-SD-HU
SOLID DOOR UNDERCOUNTER BAR FRIDGE



CKK110-GD-HU
GLASS DOOR UNDERCOUNTER BAR FRIDGE

Specifications

CKK50-SD-HU
SOLID DOOR MINI BAR FRIDGE

Net Total Capacity (Litres) 42.9

PERFORMANCE

Temperature Range (°C) 0 to 10
Ambient Temp. Level (°C) 16 to 38
Energy Consumption 0.26 kWh/24h
375mL Can Capacity 38

FEATURES

Temperature Control Mechanical
Shelves 1
Feet Adjustable
Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 510x430x460
Depth with Open Door (mm) 870mm
Net Weight (kgs) 14
Minimum Order Quantity 573

CKK50-GD-HU
GLASS DOOR MINI BAR FRIDGE

Net Total Capacity (Litres) 45.8

PERFORMANCE

Temperature Range (°C) 4 to 10
Ambient Temp. Level (°C) 16 to 38
Energy Consumption 0.26 kWh/24h
375mL Can Capacity 38

FEATURES

Temperature Control Mechanical
Shelves 1
Feet Adjustable
Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 510x430x460
Depth with Open Door (mm) 870mm
Net Weight (kgs) 16.8
Minimum Order Quantity 573

CKK110-SD-HU
SOLID DOOR BAR FRIDGE

Net Total Capacity (Litres) 118

PERFORMANCE

Temperature Range (°C) 0 to 10
Ambient Temp. Level (°C) 16 to 38
Energy Consumption 0.24 kWh/24h
375mL Can Capacity 125

FEATURES

Temperature Control Mechanical
Shelves 3
Feet Adjustable
Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 845x540x544
Depth with Open Door (mm) 1058mm
Net Weight (kgs) 29
Minimum Order Quantity 238

CKK110-GD-HU
GLASS DOOR BAR FRIDGE

Net Total Capacity (Litres) 118

PERFORMANCE

Temperature Range (°C) 4 to 10
Ambient Temp. Level (°C) 16 to 38
Energy Consumption 0.24 kWh/24h
375mL Can Capacity 125

FEATURES

Temperature Control Mechanical
Shelves 3
Feet Adjustable
Refrigerant R600a

DIMENSIONS

Net External HxWxD (mm) 845x540x544
Depth with Open Door (mm) 1058mm
Net Weight (kgs) 31
Minimum Order Quantity 238

For enquiries regarding the custom branded range e-mail husky.sales@arisit.com

Note: All Husky fridges require a 50mm clearance at the rear of the unit and 20mm clearance around the top and left/right sides when built-in/under cabinetry. These clearances are to allow sufficient ventilation and cooling to the motor. Please check installation guide for more details.



HUSKYTM

REFRIGERATION

Arisit Pty Limited (Australia) 40-44 Mark Anthony Drive, Dandenong South, VIC 3175
Tel: 1300 762 219 Fax: (03) 9768 0838 E-mail: husky.sales@arisit.com

Arisit Pty Limited (New Zealand) 1A Howe Street, Newton, Auckland 1145
Tel: (09) 306 1020 Fax: (09) 302 0077 E-mail: sales2@aristonappliances.co.nz

www.huskybrand.co.nz

All efforts have been made to ensure that the information provided in this brochure is correct at the time of printing. Due to continuous product improvement and ongoing development, Husky & Arisit Pty Limited reserves the right to make changes to the products and technical data without prior notice. Some products appearing in this brochure may be for illustrative purposes only. Diagrams are indicative measures only. Prior to commencing cabinetry cutouts the operating/installation instructions accompanying the product must be referred to at www.huskybrand.com.au